Wednesday, 2/20/2008 4:20:56 PM Date: User: Kim Johnston **Process Sheet** : R/H LOW PROFILE BASKET BASE ASS'Y : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 37523 : 13171 **Estimate Number** : D3712042 Part Number P.O. Number : D3712 U/R : 2/20/2008 S.O. No. : **Drawing Number** This Issue Project Number : N/A Prsht Rev. : NC : LARGE FAB ASSY : U/R : 11 **Drawing Revision** Type First Issue Material Previous Run Qty: : 3/10/2008 Each Um: Due Date Written By Checked & Approved By verified by:EC 08-01-30 DD : Est Rev:A Comment new issue **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 304 SQ Tube.75x.75x.065W M304TS0750W065 1.0 Comment: Qty.: 44.7920 f(s) Total: 44.7920 f(s)/Unit 304 SQ Tube.75x.75x.065W 1- Cut Ribs as per dwg from 3/4" x 3/4" x 0.065 wall 304/316 SS tubing. **BATCH** QTY PART NUMBER M106199 2 D3726-1 2 D3727-1 2 D3734-1 6 D3735-1 3 D3739-1 3 D3740-1 21 Busting 2- deburr 2.0 D23273 Spacer Bushing Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Spacer Bushing batch 336479 D2581 3.0 Mounting Bracket Comment: Qty.: 2.0000 Each(s) 2.0000 Each(s)/Unit Total: Mounting Bracket batch 33648

Dart Aerospace Ltd

W/O:		WORK ORDER CH	ANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	
			QA: I	N/C Close	d:	_ Date: _	·

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Annroval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
			-					
							*•••	
								,
								,

Wednesday, 2/20/2008 4:20:56 PM Date: , User: Kim Johnston **Process Sheet** Drawing Name: R/H LOW PROFILE BASKET BASE ASS'Y Customer: CU-DAR001 Dart Helicopters Services Part Number: D3712042 Job Number: 37523 Job Number: * 1. it. Description: Seq. #: Machine Or Operation: HOOP D37251 4.0 Comment: Qty.: Total: 2.0000 Each(s) HINGE HALF D37481 5.0 Comment: Qty.: 3.0000 Each(s)/Unit Total: 3.0000 Each(s) HINGE HALF batch_B37-364 6.0 D31661 Basket Hoop Comment: Qty.: Total: 5.0000 Each(s) Basket Hoop Batch: B3 LARGE FABRICATION RESOURCE 1 LARGE FAB 1 7.0 Comment: LARGE FABRICATION RESOURCE 1 1- take D3166-1 and trim as per dwg D3746 to make D3746-1 ⁻2- take D3746-1 and drill holes as per dwg D3646 3- drill holes in both D3727-1 as per dwg D3727 4- take 1x D3735-1 and drill holes as per dwg D3735 5- deburr 6- assemble as per dwg D3712 and weld as per QSI004 08.03.13 VISUAL WELDING INSPECTION 8.0 QC9 Comment: VISUAL WELDING INSPECTION

Dart Aerospace Ltd

DuitAc	OSPACE E	tu .						
W/O:			WC	RK ORDER CHANGES	4			
DATE	STEP	PR	OCEDURE CHAI	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			4					
Part No	:	PAR #:	Fault Categ	gory: No	CR: Yes	No DQA:	Date: _	
					QA: N	/C Closed:	Date: _	
NCR:			WORK ORDE	R NON-CONFORMANC	E (NCR	2)		
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector

NCR: WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC	Description of NC Corrective Action Section B				Approval	A	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	Approval QC Inspecto	
						·			
				,		-			
				-					
								}	

Wednesday, 2/20/2008 4:20:56 PM Date: 、 User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: R/H LOW PROFILE BASKET BASE ASS'Y Part Number: D3712042 Job Number: 37523 Job Number: Seq. #: Description: Machine Or Operation: INSPECT WORK TO CURRENT STEP 9.0 QC5 Comment: INSPECT WORK TO CURRENT STEP Expanded Metal Flat Stai 10.0 Comment: Qty.: Total: 39.9000 sf(s) 39.9000 sf(s)/Unit Expanded Metal Flat Stainless Steel Pick: Description Qty Part Number 38sq.ft M304EX0.75-16F **Expanded Metal** 11.0 LARGE FAB Comment: LARGE FABRICATION RESOURCE 1 1- cut mesh to fit inside basket base and sides as per dwg D 2- weld mesh as per dwg D3712 12.0 QC5 INSPECT WORK TO CURRE WORK TO CURRENT STEP VISUAL WELDING INSPECTION 13.0 QC9 Comment: VISUAL WELDING INSPECTION POWDER COATING 14.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 15.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 16.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:

Dart Aerospace Ltd

DuitAc	ospace Ltu							
W/O:			WORK ORDER	CHANGES				
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			•					
Part No		PAR #:	Fault Category:	NCR: Yes	No DQ	A: 💭	_ Date: <u></u>	8/03/17
				QA:	N/C Close	d:	_ Date:	
NCR:		1	WORK ORDER NON-COM	IFORMANCE (NC	R)			

NCR: WORK ORDER NON-CONFORMANCE (NCR)							
	Description of NC		Corrective Action Section B	3	Varification	Approval	
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	scription Sign &		Chief Eng	Approval QC Inspector
				·			
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Action Description Sign & Section C	STEP Description of NC Section A Description A Description A Description Section B Section C Sec

Date: (User:

Wednesday, 2/20/2008 4:20:56 PM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: R/H LOW PROFILE BASKET BASE ASS'Y

Job Number: 37523

Job Number:



Seq. #:

Machine Or Operation:

Description:

Part Number: D3712042

17.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



POSITIVE RECALL RELEASED DATE 06-0519

Dart Ae	rospace l	_td								
W/O:			W	ORK ORDER CH	IANGES					
DATE	STEP	PR	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									u.	
Part No	:	PAR #:	Fault Cate	gory:	NCI				Date: _ Date:	
NCR:			WORK ORD	ER NON-CONFO	RMANCE					· · · · · · · · · · · · · · · · · · ·
DATE	STEP	Description of NC		Corrective Action	Section B		Verific	cation	Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Descrip Chief Eng	otion	Sign & Date		on C	Chief Eng	QC Inspector
								1		
										1

QTY. -041	PART NUMBER	DESCRIPTION
X	D3712-042	BASKET BASE ASSY
2	D2327-3	SPACER BUSHING
2	D2581	MOUNTING BRACKET
2	D3725-1	HOOP
2	D3726-1	RIB
2	D3727-1	RIB
2	D3734-1	RIB
5	D3735-1	RIB
1	D3735-3	RIB
3	D3739-1	RIB
3	D3740-1	RIB
1	D3744-1	MESH
1	D3745-1	MESH
1	D3745-3	MESH
1	D3746-1	RIB
1	D3746-3	RIB
2	D3746-5	RIB
1	D3746-7	RIB
3	D3748-1	HINGE HALF
2	D3757-1	BLANKING PLATE
6	AN3-10A	BOLT
12	AN960JD10	WASHER
6	MS21042L3	NUT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK OPDER
NO. 3 <u>D3712-042 BASKET BASE ASSY</u> (MESH SHOWN LOCALLY FOR CLARITY)


WE 08.0215


Α	NEW IS	SUE		AJS	08.01.29
REV.		•	DESCRIPTION	BY	DATE
DESIG	N	ĄJS	DART AEROSP	ACE L	TD
DRAW	N	ÁJS	HAWKESBURY, ONTAI		
CHECK	KED	ic	DRAWING NO.		REV. A
MFG. A	APPR.		D3712		SHEET 1 OF 4
APPRO	OVED		TITLE	· -	SCALE
DE API	PR.	ic	BASKET BASE ASSY		NTS
DATE	08.0	1.29	COPYRIGHT © 2008 BY DART THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPL NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUN	IED ON THE EXPRESS	CONDITION THAT IT IS


D

NOTES:
1) MATERIAL: NONE
2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: 41.53 lbs
8) WELDING: PER DART QSI 004

5







	QTY -041	QTY -042	PART NUMBER	DESCRIPTION
<u>B</u>	X		D3712-041	BASKET BASE ASSEMBLY
	ļ	X	D3712-042	BASKET BASE ASSEMBLY
į	2	2	D2327-3 V	SPACER BUSHING
	2	2	D2581	MOUNTING BRACKET
1	2 .	2	D2931	BUMPER
	2	2	D3725-1	HOOP
	2	2	D3726-1 🗸	RIB
	2	2	D3727-1 /	RIB
	2	2	D3734-1 J	RIB
	5	5	D3735-1	RIB
L	1	1	D3735-3 J	RIB
L	3	3	D3739-1 V	RIB
	3	3	D3740-1 🗸	RIB
L	1	1	D3744-1	MESH
L	1	1	D3746-1 /	RIB
L	1	1	D3746-3 /	RIB
\perp	2	2	D3746-5	RIB
_	1	1.	D3746-7	RIB
L	3	3	D3748-1 /	HINGE HALF
<u> </u>	2	2	D3757-1	BLANKING PLATE
_	21	21	D3759-1 V	BUSHING
	6	6	AN3-11A	BOLT
	2	2	AN960JD8	WASHER
	12	12	AN960JD10	WASHER
	2	2	MS20600AD4W3	RIVET
				1XIV L

NUT

D3712-042 BASKET BASE ASSY (SHOWN) D3712-041 BASKET BASE ASSY (OPPOSITE)
(MESH SHOWN LOCALLY FOR CLARITY)

> ADDED-041 ASSEMBLY. WEIGHT WAS 41.50 lbs. ADDED D2931 BUMPER & HARDWARE & D3759-1 BUSHINGS. SHEET 2 ZONE C2 QTY FOR D3748-1 WAS 2. SHEET 4 ADDED DETAIL H. SHEET 3 ZONE C3 & SHEET 4 ZONE C4, ADDED MESH TRIMMING INSTRUCTIONS. SHEET 4 ZONE D2 AN3-11A BOLT WAS AN3-10A P/L UPDATED ACCORDINGLY. AJS 08.02.22 NEW ISSUE Α 08.01.29 REV. DESCRIPTION BY DATE **DESIGN** AJS DART AEROSPACE LTD DRAWN AJS HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO.

REV. B D3712 MFG. APPR. SHEET 1 OF 4 APPROVED TITLE SCALE

DE APPR. BASKET BASE ASSY DATE

NTS COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITI
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER DESCRIPTION.

В

D

NOTES:
1) MATERIAL: NONE
2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: N/A
8) WELDING: PER DART QSI 004
9) MASK ALL HOLES PRIOR TO POWDER COATING.

MS21042L3

8

08.02.22

